For more details see the Quick Ajax Login extension page.

Quick Ajax Login

Fast and easy login is a working solution to increase the number of registered customers and improve their experience.

- Reduces customers' registration time
- Provides possibility to log in through social accounts
- Lets customers easily recover passwords
- Allows authorization without visiting the registration page
- Allows redirecting customers to any page

General Settings

To configure general extension settings, please, go to Admin Panel \rightarrow System \rightarrow Configuration \rightarrow Amasty Ajax Login \rightarrow General Settings tab.

Ajax Login		Save Config
General Settings		٥
Enable Ajax Login	Yes 🔻	[WEBSITE]
Use Redirect After Login(out)	No	[STORE VIEW]
Enable jQuery	Yes 🔻	[STORE VIEW]
	 If you have javascript errors at your frontend page, try to disable our jQuery file. 	
Facebook Settings		۲
Google Settings		•
Twitter Settings		•

Enable Ajax Login - enable or disable the extension in this field.

Use Redirect After Login (out) - choose whether to redirect customers after successful login. If set to **No**, customers will stay on their current page after they log in. Switch the value to **Yes** to redirect customers to a particular page after successful login. Insert the page URL to which you want to redirect customers after they log in to the **Redirect Url** field.

Ajax Login

Save Config

General Settings			٢
Enable Ajax Login	Yes 🔻	[WEBSITE]	
Use Redirect After Login(out)	Yes 🔻	[STORE VIEW]	
Redirect Url	http://example.com/product-page.html A Leave empty to Refresh the page	[STORE VIEW]	
Enable jQuery	Yes ▼ ▲ If you have javascript errors at your frontend page, try to disable our jQuery file.	[STORE VIEW]	
Facebook Settings			•
Google Settings			
Twitter Settings			•

Enable jQuery - set to **Yes** to enable jQuery. In case you already have the jQuery plugin installed, you can disable this one when facing javascript errors at your frontend.

Choose which social buttons to enable on your pop-up login window and switch them to **Yes** on according tabs (Facebook, Google and Twitter Settings).

Specify the **App ID** and the **App Secret** fields for each social button you want to add to the pop-up window.

Enable Facebook Login	Yes	T	[WEBSITE]
App ID	647911898578045		[STORE VIEW]
App Secret	•••••		[STORE VIEW]

Please, carefully inspect the user guide to find out how to make appropriate settings on social networks' pages to create the apps.

Facebook Settings

To create a Facebook app, please, go to http://developers.facebook.com/apps.

Register as a developer and choose **Add New App** in the **My Apps** drop-down.



Choose **Facebook Login** among the products available for adding.

2022/04/14 21:28



Specify the **Display Name** and **Contact Email** for your app. After that, click the **Create App ID** button.

Create a New App ID

Get started integrating Facebook into your app or website



The App ID and App Secret will be generated automatically. Fill in the App Domains field and choose your app category.

f Dashboard	÷	App ID	App Secret	
Basic		914650428729755	•••••	Show
Advanced	•	Display Name Amasty Test	Namespace	
Alerts O App Review	•	App Domains	Contact Email	
		example.com ×	alexey.motorny@amasty.com	
PRODUCTS 🕀		Privacy Policy URL Privacy policy for Login dialog and App Details	Terms of Service URL Terms of Service for Login dialog and App	Details
i∃ Activity Log		App Icon (1024 x 1024)	Category Choose a Category V Find out more information about app category	ories here
		Business Use This app uses Facebook tools or data to Support my own business Provide services to other businesses		

Click on the **Add Platform** button to choose the platform for your social apps.

2022/04/14 21:28

f Dashboard	Name (optional)
🔅 Settings 👻	
Basic	Fmail
Advanced	LINGH
Roles >	
🜲 Alerts 🕨 🕨	Address
App Review	Street Address
PRODUCTS (+)	
⊘ Facebook Login	Apt/Suite/Other (Optional)
i Activity Log	
	City/District
	State/Province/Region ZIP/Postal Code
	Country United States 🔻
	+ Add Platform

After clicking on the **Add Platform** button you'll see the grid with various platform types. Please select **Web**.

		Visit our reference on recent Facebook Login updates.
 Dashboard Settings Roles Alerts App Review PRODUCTS (+) 	6 6	Use the Quickstart to add Facebook Login to your app. To get started, select the platform for this app.
 Facebook Login Settings 	*	iOS Android Web Other
Quickstart		facebook for developers

After specifying the platform type, insert your website URL here and click on the **Save Changes** button.

📫 Dashboard	Name (optional)	
🛟 Settings 👻		
Basic	Fmail	
Advanced		
Roles		
🌲 Alerts 🕨 🕨	Address	
O App Review	Street Address	
PRODUCTS (+)		
Facebook Login	Apt/Suite/Other (Optional)	
i⊟ Activity Log		
	City/District	
	State/Province/Region	ZIP/Postal Code
	Country	
	United States 🔻	
× 1	Website	Quick Start X
	Site URL	
	example.com	
		Discard Save Changes

Enable the **Client OAuth Login** and fill in the **Valid OAuth redirect URIs** on the **Facebook Login** → **Settings** tab.

Pashboard Dashboard	 Easily add Facebook Login to your app with our Quickstart 			
Settings				
PJ Roles	Client OAuth Settings			
Alerts				
O App Review	Client OAuth Login Enables the standard OAuth client token flow. Secure your application and prevent abuse by locking down			
PRODUCTS 🕂	which token redirect UPUs are allowed with the options below. Disable globally if not used. [7]			
Facebook Login	Web OAuth Login Enables web-based Client OAuth Login. 1?1 Yes Enforce HTTPS for Redirect URIs and the JavaScript SDK. Strongly			
Settings	recommended. (?)			
Quickstart	No Force Web OAuth Reauthentication No Embedded Browser OAuth Login When on, prompts people to enter their Facebook password in order to log in on the web. [2] No Embedded Browser OAuth Login			
	Visi Use Strict Mode for Redirect URIs Only allow redirects that use the Facebook SDK or that exactly match the Valid OAuth Redirect URIs. Strongly recommended. [?]			
	Valid OAuth Redirect URIs			
	example.com/amajaxlogin/facebook/index/ ×			
	No Login from Devices Enables the QAuth client login flow for devices like a smart TV [7]			

Insert your App ID and App Secret in general extension settings and save the configuration.

Enable Facebook Login	Yes	▼ [WEBSITE]
App ID	647911898578045	[STORE VIEW]
App Secret	•••••	[STORE VIEW]

As soon as the App ID and App Secret are saved, you'll see the Facebook social button placed on your login pop-up window.

		Account My Wishlist	Blog Log Ir	n Sign Up	→ ← Compare (0
ARDUI	Logi	n or Create ar	n Account		X
pply	Email Address*	Create	e Account o	r use that	
	Password*		+ Sign in f Sign in		
	Forgot Your Password?	_ogin	Sign in		
A		••••			

Google Settings

To create Google App, please, go to https://cloud.google.com/console/project.

Click on the **CREATE PROJECT** button and configure your app settings.

≡ (Google Cloud Pla	tform	۹				
← 1	Manage resources	CREATE PROJECT	CREATE FOLDER	MOVE	DELETE		
amast	y.com 👻 Filter by nam	e, ID, project number, or label				Columns	•
Pr	roject name	Labels	Project ID		Requests 💿	Errors 🛞	
	e Amasty		amasty-215	305	0	0	:
□ *	 My Project 73694 		careful-allo	y-215305	0	0	:
□ *	Youtube		snappy-axle	-215305			:

Specify your project name. The project ID will be generated automatically.

\equiv Google Cloud Platform

New Project

You	have 9 projects remaining in your quota. Learn more.	
Project na	me 📀	
Your projec	rt ID will be my-project-73694 🕜 Edit	
Organizati	on 🔞	
Create	Cancel	

Go to the **Credentials** tab and create a client ID to integrate your website with Google.

≡	Google Cloud Platform	Se My Project 73694
API	APIs & Services	Credentials
¢\$*	Dashboard	Credentials OAuth consent screen Domain verification
Ш	Library	
0.	Credentials	
		APIs Credentials You need credentials to access APIs. Enable the APIs you plan to use and then create the credentials they require. Depending on the API, you need an API key, a service account, or an OAuth 2.0 client ID. Refer to the API documentation for details. Create credentials API key Identifies your project using a simple API key to check quota and access OAuth client ID Requests user consent so your app can access the user's data Service account key Enables server-to-server, app-level authentication using robot accounts Help me choose
		Asis a rew questions to help you decide which type or credential to use

Insert your website URL in the required field. In the field **Authorized Redirect URLs** add /amajaxlogin/google/index/ to your website URL. Then, press the **Create** button.

Create

Cancel

Q

Create OAuth client ID

Application type Web application Android Learn more Chrome App Learn more iOS Learn more PlayStation 4 Other	
Name 📀	
Web client 1	
Restrictions	
Enter JavaScript origins, redirect URIs, or both	
Authorized JavaScript origins For use with requests from a browser. This is the origin URI of the client application. It can't contair (https://*.example.com) or a path (https://example.com/subdir). If you're using a nonstandard port in the origin URI.	n a wildcard t, you must include it
https://example.com	\times
https://www.example.com	
Authorized redirect URIs For use with requests from a web server. This is the path in your application that users are redirect authenticated with Google. The path will be appended with the authorization code for access. Mus Cannot contain URL fragments or relative paths. Cannot be a public IP address.	ed to after they have t have a protocol.
https://example.com/amajaxlogin/google/index/	×
https://www.example.com/oauth2callback	

Please copy the Client ID and Client Secret, and paste them to the appropriate fields in your backend.

Web application	208489010255-s479ihm2en8qd0rrkb5209pka2522a9I.apps.googl
Auth client	
e is your client ID	
8489010255-s479ihm2en8qd0rrkb520	9pka2522a91.apps.googleusercontent.cor
e is your client secret	
NVTUgG65YHO0aO1TP_H29m	6
	OK
	Web application Auth client e is your client ID 18489010255-s479ihm2en8qd0rrkb520 e is your client secret INVTUgG65YH00a01TP_H29m

Insert your **App ID** and **App Secret** in the appropriate fields in the backend and save the configuration.

Ajax Login		Save Config
General Settings		•
Facebook Settings		•
Google Settings		٢
Enable Google Login	Yes ▼	[WEBSITE]
Appilo	206469010255-5479IIIIII2eII6qu011kb5209pka2522a	VIEWI
App Secret	•••••	[STORE VIEW]

I) Email Add	ress*	1				
			Create Acc	or	use that	_
Password	k		8+ ❤	Sign in	Į	
Forgot Your Par	sword?	ogin				

Twitter Settings

To create a Twitter App, please, go to https://apps.twitter.com/.

Click to the **Create New App** button to create a new Twitter app.

Specify your App name and give a detailed description of the application in **App name** and **Application Description** fields. Then, specify your website URL in the **Website URL** field. In the **Callback URLs** field specify your website URL and add **/amajaxlogin/twitter/** to it.

App details	
The following app	details will be visible to app users and are required to
generate the API I	keys needed to authenticate Twitter developer products.
App icor	Upload
Maximum	n size of 700k, JPG, GIF, PNG
Concernants	
App name (requir	ed) 🤡
amajaxlogin-ma	igento
	Maximum characters: 32
Application desc	ription (required)
Share a description of	f your app. This description will be visible to users so this is a
good place to tell the	m what your app does.
test maganta	
test magento	
	le
	Between 10 and 200 characters
Website URL (red	luired) 🥑
http://demo.ama	asty.com/quick-ajax-login/index.php/
Allow this applic	ation to be used to sign in with Twitter Learn more
Enable Sign i	n with Twitter
Callback URLs (r	equired) 😮
OAuth 1.0a applicatio	ons should specify their oauth_callback URL on the request token
	ch the URLs provided here. To restrict your application from
step, which must mal	
step, which must mat using callbacks, leave	e these blank.

Go to the **Keys and tokens** tab and copy the API key and the API secret key.

2022/04/14 21:28		1	.7/19		Quick Ajax Login
🎔 Developer	Use cases	Products	Docs	More	
Apps / amaj	axlogin-n	nagento	þ		
App details	Keys ar	nd tokens	Ρ	ermissions	
Keys and toke	ens				
Keys, secret keys	and access toker	is managem	ent.		
Consumer API ke	ys				
Al replation dog	(API key)				
an and pair man i was	and the second second		()	API secret key)	
Regenerate					
Access token & a	cooss tokon so	arat			
Access token & a	CCESS LOKEIT SEC	J.C.		} (Access token)	
This of the second second			illine and in the	(Access token secret)	
Read-only (Access	level)				
Revoke	Regenerate				

Specify the necessary access and additional permissions on the **Permissions** tab.

Permissions
Changes to the app permissions will be reflected in access tokens generated after the permissions are saved. You will need to regenerate existing access tokens to alter permissions levels.
Access permission ()
What type of access does your application need?
Read-only
Read and write
Read, write, and direct messages
Additional permissions
These additional permissions require that you provide URLs to your application or service's privacy policy and terms of service. You can configure these fields in your Application Settings.
Request email address from users

Insert the API key and the API secret key, obtained from the **Keys and tokens** tab, to the fields in the backend (the **App ID** and **App Secret** fields).

Twitter Settings		۲
Enable Twitter Login	Yes	[WEBSITE]
App ID	AFrVpCe8lusvKcj5PgA	[STORE VIEW]
App Secret	•••••	[STORE VIEW]

		Account N	ly Wishlist Blog	Log In	Sign Up	
	Log	in or Cre	ate an Acc	ount		Х
Email Add	ess*		Create Accour	t or u	use that	
Password*			g+ sig ∳ Sig	n in n in		
Forgot Your Pass	sword?	Login				
	and the		T.ST			

From: https://amasty.com/docs/ - Amasty Extensions FAQ

Permanent link: https://amasty.com/docs/doku.php?id=magento_1:quick_ajax_login

Last update: 2019/02/25 10:13