For more details see the Product Attachments extension demo.

Guide for Product Attachments for Magento 2

Provide customers with additional details about the products they purchase in your store. The extension allows you to add manuals, licenses, warranties and other downloadable information right on product pages. Equip your attachments of any format with catchy icons to attract customers' attention.

- Upload the unlimited number of attachments
- Support for any file types
- Track attachments downloads
- Equip files with catchy icons
- WCAG compliance (for Luma and Hyvä Themes)
- Compatibility with the Magento Enterprise Remote Storage functionality
- Compliant with Hyvä Theme CSP
- · Compliant with Hyvä Checkout CSP by default

Magento 2 Product Attachments and Product Attachments Pro extensions are compatible with **Hyvä themes**. You can find packages for installing in composer suggest: 'amasty/module-productattachment-hyva' for Lite version and additionally 'amasty/module-product-attachment-pro-hyva' for Pro version (Note: the compatibility is available as a part of an active product subscription or support subscription).

In **Product Attachments FAQ** you can find answers to the most popular questions about the extension functionality.

Configuration

To configure general extension settings please go to **Stores** \rightarrow **Configuration** \rightarrow **Amasty Extensions** \rightarrow **Product Attachments**.

General Settings

Expand the General tab.

Configuration		👤 den	nouser 🔻
Store View: Default Config 🔻	•	Save Co	onfig
General			\odot
Enable Module [store view]	Yes	•	
Add Category Files to Products [store view]	Yes	•	0
Display `Include In Order` Files on Product Pages and Widgets [store view]	No	•	
Url Creation Type [store view]	Id		
	ld Hash		

Enable Module - enable or disable the extension by clicking 'Yes' or 'No'.

Add Category Files to Products - if *YES*, the files will be attached to all category products. If *NO*, the files will not be attached to the products of the category. But you can display the category attachments with the help of widget.

Display `Include In Order` Files on Product Pages and Widgets - enable this option if you want to show files regarding ordered products on product pages and widgets.

Url Creation Type - select the type of URL that will be applied to the attachments: *ID* or *Hash*.

ID type URL example:

http://domain.zone/amfile/download/file/22

Hash type URL example:

http://domain.zone/amfile/download/file/8a9e07bad0166438b0

Links Accessibility Check

<u>a</u>masty

Links Accessibility Check

Check Linked Product Attachments Accessibility	Yes		•
[website]			
Send Email Notifications To [website]	admin@test.com ×	admin2@test.com ×	
	Specify emails to which a no are inactive.	tification will be sent if the li	nks

Check Linked Product Attachments Accessibility - set to Yes if you want to:

- have the accessibility of all linked attachments ('web page' and 'link' types) in your store automatically checked once a day via cron;
- get email notifications in case inactive attachments are found.

Send Email Notifications To - specify emails to which notifications will be sent if the links are inactive.

Product Tab

Configuration		💄 demouser 🝷
Store View: Default Config 🔻	•	Save Config
Product Tab		$\overline{\bigcirc}$
Show `Product Attachments` Tab [store view]	Yes A new tab with product attachments will be added to product tabs on a Product Page	
Tab Title [store view]	Product Attachments	
Choose Customer Groups to show the Tab [global]	NOT LOGGED IN General Wholesale Retailer Don't choose any or select all to show the tab to all	
Show File Icon [store view]	Yes 🗸	
Show File Size [store view]	Yes 🔻	
Tab Position [store view]	55	

Show `Product Attachments` Tab - enable display of a new tab with product attachments in the description block on a Product Page.

Tab Title - specify the name for the tab with product attachments.

Choose Customer Groups to show the Tab - specify customer groups for which the attachments will be visible.

Show File Icon - make attachments more noticeable by showing file icons or turn off this option if needed.

Show File Size - enable this option to let your customers know about the size of the attachment.



Tab Position - specify the position for the product attachments among the other tabs.

To maintain the correct tabs display, please do NOT set the multiples of 10 (0,10,20, etc.). You may choose the following ranges: **11-19**, **21-29**, etc. or use the numbers that contain 5 (**5**, **15**, **25**, etc.).

Order View Page

Configuration			👤 demouser 🔻
Store View: Default Config 🔻	•		Save Config
General			\odot
Product Tab			\odot
Order View Page			0
Show Attachments [store view]	Yes	•	
Title for Attachments Block [store view]	Product Attachments		
Type of Attachments to Display [store view]	`Include In Order` Only `Include In Order` Only All Product Attachments	*	
Order Status [store view]	Pending Processing Suspected Fraud Complete Closed Canceled On Hold Leave the field empty to show attachment all statuses	s in	
Show File Icon [store view]	Yes	•	
Show File Size [store view]	Yes	•	

Show Attachments - enable this option if you want to show attachments for ordered products.

Title for Attachments Block - specify the title for attachments block on the Order View Page.

Type of Attachments to Display - show all product attachments or include them to the order only.

Order Status - choose order status according to which the attachments will be displayed. It is useful if you want to show files only when a purchase is completed.

Show or Hide File Icon and File Size.

Order Email

Configuration		💄 demouser 👻
Store View: Default Config	• ()	Save Config
General		\odot
Product Tab		\odot
Order View Page		\odot
Order <mark>E</mark> mail		\odot
Add Attachments to Transactional Emails [store view] Title for Attachments	Yes Product Attachments	•
Block [store view] Type of Attachments to Add [store view]	`Include In Order` Only	•
Order Status [store view]	Pending Processing Suspected Fraud Complete Closed Canceled On Hold	
		//

Leave the field empty to show attachments in all statuses

Add Attachments to Transactional Emails - include files to transactional emails to provide customers with the maximally detailed product description.

Title for Attachments Block - specify the title of the block that will be displayed in emails.

Type of Attachments to Add - add all the attachments or 'Include in Order' only to your transactional emails.

Order Status - select the status(es) that the orders must have to show attachments. Leave the field

empty to show attachments in all statuses.

Additional Settings

Configuration	Ŧ	demouser 🔻
Store View: Default Config 👻 🕜	Save	Config
Additional Settings		
Autodetect File Mime Type on Download [store view]	Yes Set the option to Yes to let customers open attachments in a n browser window instead of downloading them. 'Fileinfo' extension or 'mime_content_type' function must be enabled in server configuration	

Autodetect File Mime Type on Download - set the option to 'Yes' to let customers open attachments in a new browser window instead of downloading them.

Adding Files to the Product

To add new files for a specific product please go to **Catalog** \rightarrow **Products** and open the necessary product. Then expand the **Product Attachments** tab.

rod	uct At	tachm	ients 🖌						6
							<	1 of	1
	Fileld	lcon	File Name	Extension	Label	Customer Groups	Include In Order	Visible	Actions
	New File		bag-warranty_3	docx	bag-warranty_3	NOT LOGGED IN General Wholesale Retailer	N₀	Ves 💽	ŧ
	New File		promo-bag_2	jpg	promo-bag_2	NOT LOGGED IN General Wholesale Retailer	O No	Yes Yes	Î

You can specify custom name for this tab by modifying the **Tab Title** option on the General Settings page.

This handy grid allows you to manage all existing attachments easily:

Icon - define a needed attachment by catchy icons to add to the product.

Add New Links

File Name - specify a relevant file name for your internal use.

Add Existing Attachments Add New Files

Extension - track the attachments easily according to file extensions.

Label - fill in the label that will be displayed on the frontend as the name of the attachment.

Customer Group - specify a customer group for which the attachment will be visible on the frontend.

Include In Order - enable this option if you want to display the product attachment in the tab 'My Orders' on the frontend.

Visible - modify this option to hide or display the attachment regarding the product.

If you show two or more attachments on a product page, you can specify the order for displaying files.

You can make the following actions right from the admin panel:

Click the **Add Existing Attachments** button to add files that are already loaded. Click the **Add New Files** button to add a new attachment for the related product. Click the **Add New Links** button to provide your product page with a necessary link.

Please note that attachments can only be assigned to parent products, which are then added to all associated child products. There is no option to attach files directly to individual child products.

<u>a</u>masty

💄 admin 🗸

Q

Attachments Management

Attachments Management

To see all the attachments please go to **Catalog** → **Attachments Management**.

			0					
						Add N	ew Attachr	nent
				Y Filters	O Defa	ult View	- 🌣 Co	lumns 🔻
Action	is 🔺			20 -	per page	<	1 of	
Delete	Action	lcon	File Name	File Label	Mime Type	File Size	Created At	Updated At
	Edit		user_manual	user_manual	application/ vnd.openxml	11.64 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM
✓	Edit		watches- warranty	watches- warranty	text/plain	8.00 B	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM
✓	Edit		promo-bags	promo-bags	image/jpeg	84.92 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM
	Edit		promo-watches	promo-watches	image/jpeg	27.74 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM
	Edit		product- attachments	product- attachments	application/zip	26.98 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM

This handy grid helps you track all existing files by ID, icon, attachment type, file name, file label, mime type, and file size. Also, store admins can track the date of file upload and monitor the date of last changes (including changes of products, categories, etc.).

With an active support subscription or product subscription, the Customer Group column will also be

available on the **Attachments Management** grid for monitoring and filtering.

You can add new files to the existing list right from the grid by clicking the **Add New Attachment** button.

New Attachment	👤 demouser 👻
	← Back Save and Continue Edit Save Attachment
File Info Fields	
Attachment Type	File 🔻
File	Upload
	bag-warranty_5.docx 11 KB
Attachment Name *	bag-warranty_5 docx
Label *	bag-warranty_5
Customer Groups	NOT LOGGED IN General Wholesale Retailer
	Don't choose any or select all to show the attachment to all customer groups.
Is Visible	Yes Yes
Include in Order	No Include this attachment into order transactional email and show in the 'view order' section of customer's account.

Specify the Attachment Type:

- choose File to upload the file of 25+ types
- choose Link to add the link for file downloading

Fill in the **Attachment Name**, **Label** and then choose a **Customer group** to which display the file. Then press the **Upload** button to select a necessary file.

In one click you can regulate the file visibility and include it in order.

Atta	ich To						
		Categories Gear × Bags ×		•			
	d products	Name	Status	Ture	<	1 Deice	of 1
ID 1	Thumbnail	Name Joust Duffle Bag	Status Enabled	Type simple	SKU 24- MB01	Price \$34.00	Actions Remove
2	8	Strive Shoulder Pack	Enabled	simple	24- MB04	\$32.00	Remove

Also you can attach a new file to any category and product you need. Just select necessary categories and add products to attach a new file to them.

The maximum number of products that can be assigned to an attachment on its edit page is controlled by a PHP variable and the server setting **max_input_vars**. To add more than 100 products to a single attachment, you need to increase the **max_input_vars** value (e.g., to 5000).

Then press the **Save Attachment** button to finish the new attachment adding.

Adding an Icon

Make attachments more noticeable for customers with catchy icons. To create a new attachment icon or edit already existing ones go to **Catalog** \rightarrow **Icon Management**.

Icon Management							
					Add New	lcon	
				Filters Oefault View	v 🔻 🏟 Col	umns 🔻	
Action	ns 🔻	15 records fo	ound	20 • per page <	1 of 1	>	
V	ID 1	Thumbnail	Туре	Extensions	Status	Action	
	1		Document	doc, docx, txt, rtf, pdf, djvu	Enabled	Edit	
	2		Image	jpg, jpeg, png, gif, bmp	Enabled	Edit	
	3		Video	avi, mp4	Enabled	Edit	
	4	1	Audio	mp3, jpeg, ogg	Enabled	Edit	
	5		Archive	zip, rar, 7z	Enabled	Edit	
	6		Table	csv, xis, xisx	Enabled	Edit	
	7		Presentation	pptx, pptm, ppt	Enabled	Edit	
	8	÷	Scheme	ini	Enabled	Edit	

This handy grid allows you to track all existing files by thumbnail, icon type and extension. You can easily check the icon status in the same place.

The module let you add a new icon right from the admin panel by pressing the **Add New Icon** button.

Last update: 2025/08/25 13:32	magento 2:produ	ct_attachments https://amas	ty.com/docs/doku.php?id=magen	to 2:product attachments

ast update: 2025/08/25 13:32magento_2:produ			
New Icon			💄 demouser 🔹
	← Back	Save and Continue Edit	Save Icon
Product Attachment Icon			
Icon Upload			
Type * Image			
Alt Tag image-			
Enabled 🚺 Yes			
File Extensions			
File Extension *		Actions	
png			

Upload the icon you need, specify the file type for which the icon will be used.

The Alt Tag field serves SEO purposes and will automatically be filled in with the Type field value by default. However, you can leave it empty or specify another value if needed.

You can enable the icon displaying in one click. Then add the file extension by pressing the Add Extension button.

Hit the **Save Icon** button to finish the new icon adding.

Adding Files to the Product Category

To attach files to any product category, please, go to **Catalog** \rightarrow **Categories** and select any product category to which you want to add files.


25/08/26 04:24				17/85			G	uide for Product	Attachn	nents for N	lagento
Gear (46) Gasages (14) Gasages (14) Gasag)		Cat	tegory Name	Bags						
e 🔁 Iraining (6) E 🔁 Promotions (0)	Proc	lucts	in Cat	egory							\odot
and our (o)	Desi	gn									\odot
	Sche	dule	Desig	n Update							\odot
	Proc	luct A	ttach	ments 📝							\odot
									<	1 of	1 >
		File Id	Icon	Attachment Name	Extension	Label	Customer Groups	Include In Order	Visible		Actions
	1	24		Warranty Use Default Value	txt	Warranty Use Default Value	NOT LOGGED IN General Wholesale Retailer	Yes Use Default Value	t 🗌	Yes Use Default Value	Î
		2		promo.jpg Use Default Value	jpg	promo.jpg Use Default Value	NOT LOGGED IN General Wholesale	No Use Default Value	t 🗌	Yes Use Default Value	Ŵ

Then, expand the **Product Attachments** tab. You can add existing or new files or even add new links to the chosen product category. Then press the **Save** button to attach added files to the certain product category.

Managing Attachments Block via Widget

With the extension it is possible to add Product Attachments Block to any page or position via widget.

To configure the widget, go to **Content** \rightarrow **Elements** \rightarrow **Widgets**.



Click the Add Widget button.


Widgets				👤 demouser 👻
			← Back	Reset
WIDGET	Settings			

Settings 🖌	Type *	Amasty Attachments Block	
		Please Select	
		Amasty Attachments Block	
		CMS Page Link	
		CMS Static Block	
		Catalog Category Link	
		Catalog New Products List	
		Catalog Product Link	
		Catalog Products List	
		Orders and Returns	
		Recently Compared Products	
		Recently Viewed Products	
	Design Theme	Magento Luma 🔹	
		Continue	

Type - select the **Amasty Attachments Block** widget type.

Choose the theme and click **Continue**.

Set the **Storefront Properties** of the block.



Sort Order of widget instances in the same container

Widget Title - specify the title for the internal usage.

Assign to Store Views - select store views where the widget should be displayed.

Sort Order - set the position of the block in the same container.

In the Layout Updates section you can set any category or product page to display the widget.

21/85

Layout Updates

Display on Anchor Catego	ries 🔻	Î
Categories All Specific Categories	Container Template Sidebar Additional Please Select Contain 	er First
Display on All Product Typ	es 🔻	Î
Products All Specific Products 2,5,18	Container Template Page Footer Please Select Contain 	er First
Display on Specified Page	▼	Î
Page Catalog Product Cor	ContainerTemplateSidebar MainPlease Select ContainerFirst	
Add Layout Update		

Specify the particular categories or products if necessary. In the **Container** dropdown menu choose where attachments block should be placed. Add as many pages and positions as you need.

Expand the Widget Options tab.

Widgets					demouser -
	← Bac	k Reset	Save and O	continue <mark>Ed</mark> it	Save
WIDGET	Widget Opt	ions			
Storefront Properties 🖌	Block Title	Product Attach	ments		
Widget Options	Widget Type	Current Categor Current Categor Specific Categor Current Product Specific Product Custom Files	ry t		
	Show Icon	Yes 💌			
	Show File Size	Yes 🔻			

Block Title - specify the title that will be displayed on the frontend.

Widget Type - choose the type of the widget.

You can also **Show Icon** and **Show File Size** or hide them if necessary.

Hit the **Save** button.

Download Reports

Due to the advanced Magento 2 file attachment manager tool you can view and analyze detailed reports on file downloads. Here you can see statistics on what attachments were downloaded, when this happened and who downloaded the file.

To see reports on file downloads please go to **Reports** \rightarrow **Downloads**.

👤 demouser 👻

				Clear File Downloads				
13 records fo	bund		▼ Filters 20 ▼ per page	P Default View Columns Colum				
File ID	File Name	Store View	Download Source	Downloaded At 1				
4	warranty.txt	Default Store View	Product	Jan 22, 2019 2:44:53 PM				
6	user_manual.pdf	Default Store View	Product	Jan 22, 2019 2:44:50 PM				
5	promo.jpg	Default Store View	Product	Jan 22, 2019 2:44:45 PM				
2	promo.jpg	Default Store View	Other	Jan 22, 2019 2:41:47 PM				
1	warranty.txt	Default Store View	Other	Jan 22, 2019 2:41:42 PM				
24	Warranty	Default Store View	Category	Jan 17, 2019 1:06:29 PM				
5	promo.jpg	Default Store View		Nov 30, 2016 3:15:43 PM				
6	user_manual.pdf	Default Store View		Nov 30, 2016 3:12:40 PM				
5	promo.jpg	Default Store View		Nov 30, 2016 3:12:22 PM				
4	warranty.txt	Default Store View		Nov 30, 2016 3:12:17 PM				
6	user_manual.pdf	Default Store View		Nov 30, 2016 2:23:14 PM				
5	promo.jpg	Default Store View		Nov 30, 2016 2:22:46 PM				
4	warranty.txt	Default Store View		Nov 30, 2016 2:22:34 PM				

In case you want to refresh the reports download history, click the **Clear File Downloads** button.

Show Attachments on the Product Page

You can place attachments in the product description block via widgets.

Product Attachment Report Downloads

Home > Summit Watch

			1	mmit Wa * ^{3 Reviews} 4.00	Add Your Review IN STOCK SKU#: 24-MG03
			V ADI		
Details	o.jpg	More Information	Reviews (3)		
user_r	nanual.pdf				

Add Attachments to Orders

Customers can find all attachments regarding completed orders in their accounts. When they view a necessary order in the tab 'My Orders', they find corresponded files. All this prevents from losing important documentation regarding the purchased product and its usage.

Account Dashboard My Orders My Downloadable Products	Order # 000 January 31, 2019 Reorder	000003	PENDING		Print O
My Wish List Address Book Account Information	Items Ordered Product Name	SKU	Price	Qty	Subtotal
Stored Payment Methods Billing Agreements My Product Reviews Newsletter Subscriptions	Summit Watch Product Attachments user_manual.pdf	24-MG03	\$54.00	Ordered: 1	\$54.00
			Ship	Subtotal ping & Handling	\$54.00 \$5.00
ompare Products u have no items to compare.				Tax Grand Total	\$4.46 \$63.46

The extension allows you to place attachments in absolutely any location on product, category and CMS pages via widgets.

Attachments mass-import

2025/08/26 04:24

25/85

With the extension you can import attachments in bulk and assign them to products via CSV-file import.

Go to Catalog, choose Mass Attachment Import in Product Attachments tab.

Mass Attachment Import						
			New	/ Import		
			▼ Filters OPefault View •	Columns 👻		
Actions •	6 records	found	20 • per page < 1	of 1 >		
ID	ţ	Created Date		Action		
1		May 11, 2019 1:27:23 PM		Continue		
2		May 15, 2019 7:12:33 AM		Continue		
3		May 15, 2019 7:58:05 AM		Continue		

All incomplete imports are saved and displayed in the grid. To complete any of them, press the **Continue** button. To start a new import process, click **New Import**.

Step 1. Prepare attachments for import

In this tab upload all the attachments you want to import via **Add New File**, **Add New Link**, and **Add New Page** (for PRO only) buttons.

You can upload your attachments File type in pub/media/amasty/amfile/import/ftp folder.

💄 demouser 🔻

Upload Your Attachments

Prepare Attachments For Import	2 Select Stores For Configuration	3 Import Your Attachments	Cancel	Back	Next	

Prepare Attachments


You can upload your attachments 'File' type in pub/media/amasty/amfile/import/ftp folder 20 per page of 1 							1 >		
	File Id	lcon	Attachment Name	Extension	Label	Customer Groups	include in Order	Visible	Actions
I	New File		tee-tank	png	tee-tan	NOT LOGGED IN General Retailer Wholesale	Ves 🚺	Ves	Ť
	New File	=	04.02_Bri	pdf	04.02_E	NOT LOGGED IN General Retailer Wholesale	No	Ves	Ť
	New File	=	DMS-Fill	pdf	DMS-Fi	NOT LOGGED IN General Retailer Wholesale	Ves	Ves	Ť
	New File	=	Renusol	pdf	Renusc	NOT LOGGED IN General Retailer Wholesale	No No	Ves	Ť
A	dd New	Files A	dd New Links	Add New Pa	ges				

You can change files' names and labels if needed, assign them to the necessary customer groups, include in order and make them visible/invisible right in the grid.

Click Next.

Step 2. Select Stores For Configuration

Here specify store views to which you want to import files.



Select Store Views *	All Store Views
	Main Website
	Main Website Store
	Default Store View
	NewWebSait
	NewStore
	NewStoreview

Press Next.

Step 3. Import Your Attachments

In this tab CSV-file is generated.

25/08/26 04:24		29/85	Guide for P	roduct Attachments for Magento
Import At	tachmei	nts		1 demouser
Prepare Attachments For Import	2 Select Stores For Configuration	Import Your Attachments	Cancel	Back Next Check Data
Import Setting	5			
		Generate Import File		
Import Behavio	or			
Impor	t Behavior 🔸	Add		
Validatio	n Strategy \star	Stop on Error		
Allowed Err	rors Count *	10 Please specify number of errors to halt import process		
Field	separator *	,		
Multiple value	separator *	1		
Empty attribute	value con- stant *	EMPTYVALUE		
Fields	enclosure			

<u>a</u>masty

File to Import

Select File to Import 🦻	Выберите файл Файл не выбран
	File must be saved in UTF-8 encoding for proper import
Images File Directory	
	For Type "Local Server" use relative path to <magento root<br="">directory>/var/import/images, e.g. <i>product_images, import_images/batch1</i>.</magento>
	For example, in case <i>product_images</i> , files should be placed into <i><magento< i=""> <i>root directory>/var/import/images/product_images</i> folder.</magento<></i>
	If remote storage is enabled, in case <i>product_images</i> , files should be placed into <i><remote storage="">/var/import/images/product_images</remote></i> folder.

Press Generate import file to download an import sample file.

L23		•	:	× √ fx						
Α	В		C	D	E	F	G	н	1	J
port 💌	import_ic	* sto	re_ic 💌	filename 🔹 💌	label 💌	customer_group	is_visible 💌	include_in_orde	product_i 💌	category_i
1		1	0	tee-tank	tee-tank1	1,2	1	1	14,21	5,6
1		1	1							
1		1	2							
2		1	0	4.02_Britex_TPW	4.02_Britex_TPW	0,3	1	0	6	32,34
2		1	1							
2		1	2		1			1		
3		1	0	DMC-Fillins-p0	DMC-Fillins-p0	2	1	1	112,115	1,15
3		1	1					1		
3		1	2							
4		1	0	Renusol_CSFich	Renusol_CSFic	4	1	0		
4		1	1							
4		1	2							
5		1	0	clock-2710035_9	clock-2710035_9	2,3	1	0		

In the sample you can edit any data presented in Step 1.

In our case we've selected 2 store views.For example, we have English store view (store_id - 1) and French (store_id - 2). So we can name the same file differently and assign to different categories, customer groups, etc.

Set **Add** in 'Import Behaviour' tab.


Press the 'Import' button to import stock data.



It is possible to go back to any of the steps, make changes and regenerate import file if needed. All changes are saved automatically, and even if the import was not completed, it will be displayed in the **Mass Import Grid** so that you could continue importing later.

[PRO] Attachment Categories


Using the **Pro** package, you can group attachments into particular categories to make product presentation more structured and consistent.



In the Pro version of the extension, one more attachment type is available - **Page**. This type allows you to use the URL of any web page as an attachment. For example, you can place links to blog articles or Youtube videos in the product attachments tab to provide customers with more detailed information about products.

Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

File Info Fields



To create categories, proceed to **Catalog** → **Attachment Category Management**.

Attachment Category Management						iouser 👻	
	Add New Ca						gory
			Filt	ers 📀	Default View 👻	🔅 Colu	umns 🔻
Actions	• 3 reco	ords found	20	 per page 	<	1 of 1	>
ID	t Icon	Category Name					Action
5	•	Loyalty Programs					Edit
_ 4	8	Promo Items					Edit
3	0	Documents					Edit

On the grid, you can see all existing categories and manage them.

Add New Categories

To create a new one, click **Add New Category**.

New Category		👤 demouser 👻
	← Back Save and Continu	ae Edit Save Category
Category Info Fields		
Category Name * [store view]	Special Deals	
lcon [global]	Upload Image will be resized to 50x50 px. Allowed file types : jpg, png, jpeg, bmp. Gif can have only one frame	
	2	
	images.png 225x225	
Is Visible [store view]	Yes	
Attachments in Catego	у	

Category Name - specify the category title that will be displayed on both backend and frontend.

Icon - upload an icon that will be displayed before the title.

Add Attachments

Please, keep in mind that the image will be resized to 50×50 px. Allowed file types: **jpg, png, jpeg, bmp**. Gif can have only one frame.

Is Visible - set to Yes to show the category on the storefront.

Assing Files to Categories - choose the files suitable for the category.

[PRO] Attachment Import&Export

The Product Attachments **Pro** extension allows you to import and export attachment data.

The one-time import&export functionality is available as a part of an active product subscription or support subscription. You can find the **amasty/module-product-attachment-export-entity** and **amasty/module-product-attachment-import-entity** packages for installing in composer suggest.

To import attachment data, please navigate to **System** \rightarrow **Amasty Import** \rightarrow **Import** \rightarrow **Select Entity** \rightarrow **Amasty Product Attachments** \rightarrow **choose the needed entity**:

Import Settings

Select Entity	Select		•	
		Q		
	Oracle Amasty Product Attachments		_	
Copyright © 2025 Magento Co	Amasty Attachments			<u>Account Ac</u>
	Amasty Store Attachment Products			
	Amasty Store Attachments Categories			
	Amasty Attachments Icon			
	Amasty Attachments Reports			

To export attachment data, please navigate to **System** → **Amasty Export** → **Export** → **Select Entity** → **Amasty Product Attachments** → **choose the needed entity**:

Export Settings

Select Entity	Select	1
Select Entry		
	Q	
	Amasty Product Attachments	
Opyright © 2025 Magento Co	Amasty Attachments	<u>Account Ac</u>
	Amasty Store Attachments	
	Amasty Store Attachments Customer Groups	
	Amasty Store Attachment Products	
	Amasty Store Attachments Categories	
	Amasty Store Attachments Category Product	
	Amasty Attachments Icon	
	Amasty Attachments Icon Extension	
	Amasty Attachments Reports	

Please note that the import and export of **attachments for the Page type**, as well as of **Attachment Categories**, are currently unavailable.

For more deatailed information about import&export settings configuration, please refer to this user guide.

[PRO] Manage Files via API

Product Attachments Pro also includes the API add-on to simplify file management.

Testing API with Postman

You can track and manage all the files of the Product Attachments extension with an API development environment - **Postman**. A handy HTTP client allows to create all necessary queries, put them into collections, and test apps automatically.

To download a ready-made collection for automated API testing click here:


collection-v2.zip

API support can be enabled only after purchasing an **API Add-On to Product Attachments** extension.

Setting up the Environment

The environment is set up in 3 steps:

1. Open Manage environments form:



2. Set the following variables:

- magento_api_url: https://magentourl/index.php/rest
- admin_username: your admin username
- admin_password: your admin password

2025/08/26 04:24

37/85

MANAGE ENVIRONMENTS	×
Environment Name	
apimagento	
VARIABLE INITIAL VALUE O CURRENT VALUE O ···· Persist All Rese	t All
magento_api_url http:// http:// /index.php/re	est
admin_username admin admin	
admin_password a222222 a222222	
Add a new variable	
Use variables to reuse values in different places. The current value is used while sending a request and is never synced to Postman's servers. The initial value is auto-updated to reflect the current value. Change	×
this behaviour from Settings. Learn more about variable values	
Cancel	te

3. Select the created environment:

amasty

Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

	🚦 Product Attachments by Amasty 🔻 🗼 Invite	0	🖌 🗞	• •		Upgrade	•
Get Admin Token X + •••			apimagent				*
≻ Get Admin Token). 🔻
POST • {{magento_api_url}}/all/V1/integration/admin/toker	h?username={(admin_username)) &password={(admin_password)}			Send	-		-
Authorization Headers Body Pre-request Script Tests							Code
туре							
Inherit auth from parent 👻							
The authorization header will be automatically generated when you send the request. Learn more about authorization							
							- 25

The specified variables can be used in further queries.

Backend API Testing: Getting Admin Token

To work with API, you need to authorize and get **admin token**.

Start a **POST** request.

Get Admin Token × + ••••				
> Get Admin Token				Examples (0)
POST + {{magento_api_url}}/all/V1/integration/admin/token?username={{admin	n_username)} &password= {{admin_password}}		Params	Save 🕇
KEY	VALUE	DESCRIPTION		eee Bulk Ec
✓ username				
✓ password				
Key				
Authorization Headers Body Pre-request Script Tests •				Cookies Co
TYPE	This request is using an authorization helper from	collection <u>Product Attachment Api</u> .		
The authorization header will be automatically generated when you send the request. Learn more about authorization				

Hit the **Send** button.

The token will be generated in the response to the request.

👬 Product Attachments by Amasty 🔻 👗 Invite	🥹 e 🗠 🕯 .	· •
Get Admin Token X + •••	apimagento	
▶ Get Admin Token		
POST {(magento_api_url)}/all/V1/integration/admin/token?username=((admin_username))&password=((admin_password))	Params Ser	nd 🔻
Authorization Headers Body Pre-request Script Tests		
Type Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization		
Body Cookies (1) Headers (11) Test Results		
Pretty Raw Preview JSON - 🛱		🖬 Q Sav
1 ['ugvx2pdb4d4wb4l2x6oxdwf2w5di29g"		

Backend API Testing: Basic Operations

In Magento 2 Product Attachments admin can view, upload, edit and delete files.

In Postman the queries are the following:

- GET
- POST
- PUT
- SEARCH
- DELETE

Every time you want to perform operations as an Administrator, you need to authorize with **Admin Token**. Insert into the **Token** field:

{{adminToken}}


	Product Attachments by Amasty 🔻 🗼 Invite	
Get Admin Token Upload File • + •••		
▼ Upload File		
Add a description		
POST {{magento_api_url}}/all/V1/amasty_product_attachme	nt/filemanage/uploadFile	
Authorization Headers (1) Body Pre-request Script	Tests •	
туре	Token	
Bearer Token 🔹		
The authorization header will se automatically generated when you send the request. Learn more about authorization		
Preview Request		

Upload the File

To test file uploading, use the **POST** query. First of all, encrypt the picture in Base64. To upload the file, insert "string" into "base64_encoded_data". This is how it reads: "base64_encoded_data": "string":


<u>a</u>masty

Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments



Check if the file is uploaded successfully and set it for use in further requests if needed:

amasty




The response is positive, now you can use the uploaded file for testing the **Save Uploaded file** query:



Save the Uploaded File

To save the file, use the **POST** query as well:



We add the loaded file "tmp_file" and write out the file data: name, label, etc:

{{lastUploadedFile}}


Before saving the file, make sure it was loaded. Check it with the help of a **pre-request script**. This script should be run before the actual request:

			🕂 Product Attachm	nents by Amasty 🔻	🚑 Invite
Get Admin Token	Upload File	Save File Data for an	nother s Save Uploaded File	• + •••	
▶ Save Uploaded F	ile				
POST 🔻	{{magento_api_url}}/	all/V1/amasty_product_attachm	nent/filemanage		
Authorization 🔵		y Pre-request Script	Tests ●		
1 15 11					
i 2 throw ne	ronment.get("lastUplo w Error('Upload File H	dedFile")) { First')			
3 }					

Unset the uploaded file and configure the settings to use it in the latter requests:

		::	Product Attachme	ents by Amasty 🔻	🚑 Invite
Get Admin Token	Upload File	Save File Data for another s	Save Uploaded File	• + •••	
▶ Save Uploaded F	ile				
POST 🔻	{{magento_api_url}}/all/V1/a	amasty_product_attachment/fil	emanage		
Authorization 🔵	Headers (1) Body 🔵	Pre-request Script	sts 🔹		
2 pm.envir	nse.code == 200) { onment.unset("lastUploadedFi onment.set("lastSavedId", pm	le"); .response.json().file_id);			

The file has been saved successfully:



Make sure the data on the file match our Magento 2 Product Attachments settings:

New Attachmer	nt				1	demouser 👻
	← Back	Save and Cont	inue Edit	S	ave Atta	chment
File Info Fields						
Attachment Type	File 💌					
File	Upload					
Attachment Name *	nameapifile	png				
Label *	labelapifile					
Customer Groups	NOT LOGGED IN General Wholesale Retailer	show the attachment to	all custome	r		
Is Visible	Yes					
Include in Order	Yes Include this attachment into or the 'view order' section of custo		nd show in			
Attach To						
Categories	Bags ×		•			
Add products				<	1	of 1 >
ID Thumbnail Name		Status	Туре	SKU	Price	Actions
1 Joust Duff	e Bag	Enabled	simple	24- MB01	\$34.00	Remove
2 Strive Sho	ulder Pack	Enabled	simple	24- MB04	\$32.00	Remove




You may also save the uploaded file with the help of its URL (using a link field).

Save the File Data by the URL

In this case **POST** request is also used. Input the URL that points to the file location. Then set the file name, label, etc., and hit the **Send** button:

ļ		:	Product Attachments b	by Amasty 🔻 🗼 Invite
Get Admin Token	Upload File	Save Uploaded File	Save Uploaded File. L 🛛 🗙	+ •••
▶ Save Uploaded File. U	se a link field			
POST 🔻 {{ma	agento_api_url}}/all/V1/ama	sty_product_attachment/file	manage	
Authorization Head	lers (1) Body 🔍 P			
🔍 form-data 🛛 🔍 x-ww	w-form-urlencoded 🛛 🖲 r	aw 🔍 binary 🛛 JSON (ap	plication/json) 🔻	
5 "file_nam 6 "label": 7 "customer 8 "0", 9 "1" 10], 11 " attachme 12 5" 13 "6" 14], 15 " attachme 16 "0", 17 "4" 18], 19 "visible"	we': "urlName", "urlLabel", _groups": [mt_products": [mt_categories": [mages/31155061/large.jpg",		

The response is positive:



The file has been saved.

Get File Data by the File ID

Get queries let you output the information on a certain file attached to a product. Admin can perform this operation for *Default Store View* and for *All Store Views*.

Let's get the data on LastSavedId with the help of the GET query. Set the URL indicating the needed

amasty

47/85

Store View and the file id:

		:	Product Attachments b	y Amasty 🔻 🛃 Invite	l.
	Upload File			Get File Data By Id	Get File Data By ld (D 🗙 🕂 🚥
▶ Get File Data By	ld (Default Store View)				
GET 👻	{{magento_api_url}}/default/V1	/amasty_product_attachmer	nt/filemanage/{{lastSavedId}		
Authorization 🔵		uest Script 🔍 Tests			
TYPE Bearer Token		Tok	en		
	header will be automatically gener Learn more about authorization	rated when you			
Preview Request					

Pay attention to a **Pre-request Script**. Before outputting the info about the file, make sure it has been saved:



If the file is missing, **upload** and **save** it.

Check if the information in the extension settings matches the info for the uploaded file:


Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Edit Attachment					ielp ixit
Store View: Default Store View •	0	← Back De	elete File	Save and Continue Edit	Save Attachment
File Info Fields					
	Attachment Type	File •			
	File	Upload			
		fileNameDefaultStore			
		23 K6			
	Attachment Name * [store view]	fileNameDefaultStore jpg Use Default Value			
	Label * [store view]	Iabelapifile Use Default Value			
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer			
		Don't choose any or select all to show the attachment to all customer groups.			

<u>a</u>masty

2025/08/26 04:24	4 49/85	Guide for Product Attachments for Magento 2
Edit Attach	ment	← Back
	[store view]	General Wholesale Retailer Don't choose any or select all to show the attachment to all customer groups. Use Default Value
	Is Visible [store view]	Ves Use Default Value
	Include In Order [store view]	No Include this attachment into order transactional email and show in the 'view order' section of customer's account. Use Default Value
Attach To		
	Use [All Store Views] Categories	Yes
	Use [All Store Views] Products	No
Add products		
ID Thumbnail	Name	
3	Crown Summit Backpack	
4	Wayfarer Messenger Bag	

The response request is positive:



Search for the File

Postman allows to create search queries by any specific attribute. You can also sort the search results the way you want to, reorder them and set the number of the results to be displayed in the response section:

Get Admin Token	Upload File	Save Uploaded File Save	File Data for another s	Get File Data By Id	Get File Data By Id (Default	Search	× + •••
▶ Search							
GET 👻	{{magento_api_url}}/all/V1/ama	sty_product_attachment/filemanag	e/files?searchCriteria	[filterGroups][0][filters][0]	[field]=filename&searchCrite	ria[filterGroups][0][filters][0][value]=name%&searchC
KEY			VALUE				DESCRIPTION
searchCrite	ria[filterGroups][0][filters][0][field]		filename				
searchCrite	ria[filterGroups][0][filters][0][value]		name%				
searchCrite	ria[filterGroups][0][filters][0][conditi	onType]	like				
searchCrite	ria[filterGroups][0][filters][1][field]		size				
searchCrite	ria[filterGroups][0][filters][1][value]		3000				
searchCrite	ria[filterGroups][0][filters][1][conditi	onType]	gt				
searchCrite	ria[sortOrders][0][field]		file_id				
searchCrite	ria[sortOrders][0][direction]		ASC				
searchCrite	ria[pageSize]						
searchCrite	ria[currentPage]						

Let's see an example.

You are going to search for the attachment with the name starting with "filename" and with the size greater than 3000 Bytes. And you want the results to be sorted by id in the ascending order with 5 files per page.

Start with breaking the query into lines:

{{magento_api_url}}/all/V1/amasty_product_attachment/filemanage/files?

1. File name starts with "name":

```
searchCriteria[filterGroups][0][filters][0][field]=filename&
searchCriteria[filterGroups][0][filters][0][value]=name%&
searchCriteria[filterGroups][0][filters][0][conditionType]=like&
```

2. The size is greater than 3000 Byte:

```
searchCriteria[filterGroups][0][filters][1][field]=size&
searchCriteria[filterGroups][0][filters][1][value]=3000&
searchCriteria[filterGroups][0][filters][1][conditionType]=gt&
```

3. The results are sorted by id in ascending order:


```
searchCriteria[sortOrders][0][field]=file_id&
searchCriteria[sortOrders][0][direction]=ASC&
```

4. The number of files per page is 5 and the number of page for viewing is 1:

```
searchCriteria[pageSize]=5& searchCriteria[currentPage]=1
```

So 3 files are uploaded , and 2 of them meet the search query:

Body	Cookies	(1) Headers (11) Test Results	
Pretty		Preview JSON -	
1 + { 2 - 3 + 4 5 6 7 8 9 10 11 12 13 14 15 16 - 17 18 19 20 - 21 22 23 24 - 25		<pre>file_id : "33", attachment_type": "0", filepath : "6d2f23ac4390d01c42c4ee2802e8757c", link : ", extension : "jpg", size": "23731", mime_type : "image/jpeg", filename : "nameapifile", label : labelapifile", label : labelapifile", is_visible : "1", include_in_order": "1", customer_groups : "0,1", category_ids : [</pre>	
26 27 28 ≠ 29 30 31 32 33 ∓ 34 35 36 37 38 39 40 41 42 43 44 45 46 ≠ 47 48 49 50 ≠		"4"], "attachment_products": ["5", "6"]	



Compare it to Product attachments settings:

ID ↓	lcon	Attachment Type	File Name	File Label	Mime Type	File Size
33		File	nameapifile	labelapifile	image/jpeg	23.17 kB
34		File	nameapifile2	labelapifile2	image/jpeg	4.68 kB
35		File	apifile	lblapifile	image/jpeg	4.85 kB




Delete the File

For example, you've decided to delete the last saved file. So, input the file id in the URL and see if the file is saved with a pre-request script:

▶ Delete Saved File	e				
DELETE 👻	{{magento_api_	url}}/all/V1	/amasty_product_attachm	nent/filemanage/{{	astSavedId}}
Authorization 鱼	Headers (1)	Body	Pre-request Script 🔵	Tests 鱼	
1 √ if (!pm.envi i 2 throw ne 3 }	ronment.get("las ₩ Error('Save Fi	tSavedId") le First')) {		

After the file is saved, you can go back to testing the delete function and unset the file:



The file is deleted.

Check the result in the extension settings:

BEFORE

V	ID ↓	lcon	Attachment Type	File Name	File Label	Mime Type	File Size	Action
	33		File	nameapifile	labelapifile	image/jpeg	23.17 kB	Edit
	34		File	nameapifile2	labelapifile2	image/jpeg	4.68 kB	Edit
	35		File	apifile	lblapifile	image/jpeg	4.85 kB	Edit

AFTER

ID ↓	lcon	Attachment Type	File Name	File Label	Mime Type	File Size	Action
33		File	nameapifile	labelapifile	image/jpeg	23.17 kB	Edit
34		File	nameapifile2	labelapifile2	image/jpeg	4.68 kB	Edit

55/85

Now you are sure the file has been deleted.

Frontend API Testing: Getting Customer Token

While the Backend API testing deals with admin users' interactions, frontend API testing does the same for the customers. The operations they perform are not the same.

To test operations that customers perform, you need to log in as a registered customer and get a customer token.

The algorithm is similar to the process of getting an admin token.


Input the username and password of a test registered customer in the body and click **Send**:



Here is the **Customer Token**.

▶ Get Customer Token					
POST - {{magento_	api_url}}/V1/int	tegration/ci	ustomer/toke	en	
Authorization Headers (1)	Body 🔵	Pre-reque	est Script	Tests 🔵	
● form-data ● x-www-form-	-urlencoded	raw	binary	JSON (application/json)	•
1 ~ { 2 "username": "roni_cost@ex 3 "password": "roni_cost3@e 4 }	ample.com", example.com"				
4)					
Body Cookies (1) Head	ers (12) T				
Pretty Raw Preview	JSON 🔻	£I			
1 "9pecmeheccutqmdhod80ls5b	tj1ksh2l"				

Now you can use this token in **Tests tab**.



Unlike admin users, visitors and customers can only view or download files. You can test it using Get

amasty


queries.

Get Files for Product

This test refers to the *Default Store View* and works with *Logged in* customers.

To see the attachments of a given product available for a registered customer in a particular Store View, use the **GET** method.

Input the Store View and the product ID in the URL:



To use the Customer Token you have got previously, input in the **Token field**:

▶ Get files for Pro	Get files for Product. Default Store View. Logged In customer E								
GET 👻	{{magento_api_url}}/default/V1/amasty_product_att		Params	Send					
Authorization 🔹									
	reader will be automatically generated when you earn more about authorization	Token							
-									

Here we see that 2 files are attached to the product with the specified ID:

• The first attachment is available for a registered user:

Last update: 2025/08/25 13:32	magento 2:product attachme	ents https://amasty.com/docs/	doku.php?id=magent	o 2:product attachments

Edit Attachment					
Store View: Default Store View 🔻	0	4	Back	Delete File	Save and Continue Edit
File Info Fields					
	Attachment Type File 🔹				
	File Upload				
	Attachment Name * 1nameFileDefaultStoreView [store view] Use Default Value Label * 1labelFileDefaultStoreView [store view] Use Default Value (store view] NOT LOGGED IN [store view]		jp	8	
	[store view] General Wholesale Retailer				

Don't choose any or select all to show the attachment to all customer groups.

• The second one is not visible for a registered customer:

2025/08/26 04:24	59/85	Guide for Product Attachments for Magento 2
Edit Attachment		
Store View: Default Store View 🔻	Ø	← Back Delete File
File Info Fields		
	Attachment Type	File •
	File	Upload
-		2nameFileDefaultSto 5 KB
	Attachment Name * [store view]	2nameFileDefaultStoreVlew jpg Use Default Value
	Label * [store view]	2labelFileDefaultStoreView Use Default Value
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer

On the frontend it works like this: the registered customer doesn't see the second file:

Home > Fusion Backpack	•		Fusion Bac		IN STOCK
			\$59.00 Qty 1 Add to Cart	II ADD TO COMPARE	IN STOCK SKU#: 24-MB02
)			
Details Product Attachments	More Information	Reviews (3)			
1abelFileDefaultStoreView (4.68 kB)					

The attachment info is displayed correctly:

GET 🔻 {	{magento_api_url}}/default/V1/amasty_product_	attachment/getByProductId?product_id=6						
Authorization								
ТҮРЕ		Token						
Bearer Token								
	The authorization header will be automatically generated when you send the request. Learn more about authorization							
Preview Request								
Body Cookies (1)								
<pre>1 - [2 - { 3</pre>								
10]								

Let's check how it works for NO Logged In Customer.


Get Files for Product in Different Store Views

The extension allows to adjust file display according to the Store View.


Here is the example on how it works for Default and, say, Germany Store Views. To test that we need **GET** query.

Specify the **Store View** and the **product ID** in the URL for Default and Germany Store Views.

Default Store View:



Germany Store View:



There are 2 product attachments in the **Default Store View**:

Store View: Default Store View •	ø		← Back	Delete File	Save and Continue Edit	Save Attachment
File Info Fields						
	Attachment Type	File v				
	File	Uphoad				
		InameFileDefaultSto 5 KB	_			
	Attachment Name * [store vew]	TranseRiedvisukSoreView Int Use Default Value Int				
	Label * [store view]	Tabefiki/Defut/Sourceikew De Defut/Value				
	Customer Groups	NOT LOGGED N General Wholesale Racaher Don't choose any ar values all is show the disaboreer to al costoner groups. Use Default Value				
	Is Visible [store view]	C Yes Default Value				
	Include In Order (plant west)	Vec Include the aductment into order transactional email and show in the Vere order sectors of customer's account. Use Default Value				
Attach To						
	Use [All Store Views] Categories	Ves				
	Use [All Store Views] Products	D No				
Add products						< 1 of 1 >
D Thumbnail Name 6 Fusion Backpack						KU Price Actions 14- MB02 KERNON K



Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

store view: Default Store View -		← Back	Delete File	Save and Continue Edit	Save Attachment
File Info Fields					
Attachment Type	Fie •				
File	Upload				
	ZnameFieDefaultSto 5 KB				
Attachment Name ptore very	Zozandří obrali úsoví Veve Dre Default Valve				
Label [store wear	ZubelHitzfelukSoreView Dise Default Value				
Customer Groups	NOT LOGGED IN General				
	Wholesale Resalter				
	Don't choose any or setent all to show the attachment to all customent groups. Use Default Value				
is Vesible paper weat	♥ Vis ♥ Use Orfault Value				
Include In Order pare very	C) 195 See Default Value				
Attach To					
Use [All Store Views] Categories	Vis				
Use [All Store Views] Products	D No				
Add products					< 1 of 1 >
ID Thumbnail Name					KU Price Actions
6 Fusion Backpack				Enabled simple 2 M	4- \$59.00 Remove 1802

But in the Germany Store View, there is only 1 attachment:

Store View: Germany •		← Back	Delete File	Save and Continue Edit	Save Attachment
File Info Fields					
Attachment Typ	File •				
Fil	b Upload				
	InsameFileGermanyS5 KB				
Attachment Nam	InameRieGermanyStoreView				
	Use Default Value				
Labe [store vew	+ TabeFinGernanyGoorView Use Default Value	_			
Dition view	Conversal Conve				
Include In Orda	Include this attachment into order transactional email and show in the View order's action of outstamer's account.				
Attach To	Use Default Nature				
Use [All Store Views] Categorie	s 🕐 Yes				
Use (All Store Views) Product	s D No				
Add products					< 1 of1 >
ID Thumbhall Name C Image: Comparison of the second s				Status Type 1	SKU Price Actions 24- MB02 S59.00 Remove

2025/08/26 04:24	63/8	5	Guide for Product Attachments for Magento 2
Store View: Germany •			← Back
File Info Fields			
	Attachment Type	File +	
	File	Upload Upload 2nameFileGermany5_	
		znamenieuermanys 5 KB	
	Attachment Name [store view]	ZnameFileGermanyStoreView Use Default Value	ipg.
	Label future stead	ZlabelFileGermanyStoreView Use Default Value	
	Customer Groups	NOT LOGGED IN General Wholesale Retailer	
		Don't choose any or select all to show the attachment to all customer groups. Use Default Value	
	Is Visible [store view]	♥ Yes ✓ Use Default Value	
	Include in Order [ttore view]	Ves Include this attachment into order transactional email and show in the Vew order's ection of sustomer's account.	
Attach To			
	Use [All Store Views] Categories	Ves	
	Use [All Store Views] Products	No No	
Add products			

Thus, the data on attachments for each Store View is displayed correctly:

Default Store View:

▶ Get files for Product. Default Store View	
GET • {{magento_api_ur}}/default/V1/amasty_product_attachment/getByProductId?product_id=6	
Authorization Headers Body Pre-request Cript Tests	
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization	This request i
Body Cookies (1) Headers (11) Test Results	
Pretty Raw Preview JSON 👻 🛱	
<pre>1 * [2 * { 3 * file_size : 4968, 5 * file_name : "inameFileDefaultStoreView", 6 * "label": "labelFileDefaultStoreView", 7 * icon_url : "http://apimagento.gabrusevich.ap71.sty/pub/media/amasty/amfile/icon/Image.png", 9 * { 10 * { 11 * mine_type : "image/jpeg", 12 * mine_type : "image/jpeg", 13 * file_size : 4793, 14 * "labelFileDefaultStoreView", 14 * * * * * * * * * * * * * * * * * * *</pre>	
<pre>14 "label": "2labelFileDefaultStoreView", 15 "icon_url": "http://apimagento.gabrusevich.ap71.sty/pub/media/amasty/amfile/icon/Image.png", 16 "url": "http://apimagento.gabrusevich.ap71.sty/amfile/file/download/file/34/" 17 } 18]</pre>	

Germany Store View:

For Files for Product. Germany Store View	
GET GET GET GET GET GET GET GET	
Authorization Headers Body Pre-request cript Tests	
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization	This request is using an authorization helper from collection <u>Product Attachment Api</u> .
Body Cookies (1) Headers (11) Test Results	
Pretty Raw Preview JSON - 🛱	
<pre>1 [2 { 3 "mine type": "image/jpeg", 4 "file_size": 4968, 5 "file_name": "inamefileGermanyStoreView", 6 "label": "ilabelFileGermanyStoreView", 7 "icon_url": "http://pinagento.gabrusevich.ap71.sty/pub/media/amasty/amfile/icon/Image.png", 8 "url": "http://apinagento.gabrusevich.ap71.sty/anfile/file/download/file/33/" 9 } 10]</pre>	

Get Files for Product Included in the Order

This query concerns products in the required Store View. On the frontend, these files are displayed on the *Order* page.

Use a **GET** query. In the URL, specify the needed **Store View**, in the **Params** section – **product_id**, and **include_in_order_only** condition: **1** (Yes):

→ Get files for Product. Default Store View. `Include in order` files only							
GET • {{magento_api_ur}}}/default/V1/amasty_product_attachment/getByProduct_at	ductId?product_id=6&include_in_order_only=1	Params	Send 🔻 Save 🔻				
KEY	VALUE	DESCRIPTION	••• Bulk Edit				
✓ product_id							
✓ include_in_order_only		include in order = Yes					
Authorization Headers Body Pre-request Script Tests							
туре							
	This request is using an authorization helper from						
The authorization header will be automatically generated when you send the request. Learn more about authorization	mis request is using an autionization helper from	Conection <u>Exocute Attachment App</u> .					

As we see, the product with ID=6 in Default Store View has 2 attached files, and Include In Order condition is met only in the second case:

Fusion Bacl	kpack			÷	Back Add A	ttribute Sa	ve 🔻
Product Review	S						\odot
Images And Vid	eos						\odot
Product Attach	ments						\odot
						< 1 of	1 >
FileId Icon	File Name	Extension	Label	Customer Groups	Include In Order	Visible	Actions
1 33	InameFileDefaultStoreView Image: State Stat	Jpg	1labelFileDefaultStoreView IJabelFileDefaultStoreView Image: Comparison of the state of t	NOT LOGGED IN General Wholesale Retailer	No Use Default Value	 ✓ Yes ✓ Use Default Value 	Ŵ
34	2nameFileDefaultStoreView ✓ Use Default Value	jpg	2labelFileDefaultStoreView ✓ Use Default Value	NOT LOGGED IN General Wholesale Retailer	Yes Use Default Value	Yes Yes Use Default Value	Ŵ
Add Existing Atta	chments Add New Files Add New Links						
Product Catego	ries Attachments						\odot
Search Engine (Optimization						\odot
Related Produc	ts, Up-Sells, and Cross-Sells						\odot
Customizable C	ptions						\odot

Go to the extension settings. In the **Type of Attachments to Display** option choose 'Include In Order' Only:

amasty

Ord	er	View	Page
-----	----	------	------

	Show Attachments [store view]	Yes	•	
_	Title for Attachments Block [store view]	Product Attachments		
	Type of Attachments to Display [store view]	`Include In Order` Only	•	
	Show File Icon [store view]	Yes	•	
	Show File Size [store view]	Yes	•	

Let's see how the Postman search query will bring the results:

> Get files for Product. Default Store View. 'Include in order' files only Examples (0) 💌						
GET • ((magento_api_url))/default/V1/amasty_product_attachment/getByPro	Params Send 🔻 Save 🔻					
KEY	VALUE	DESCRIPTION				
✓ product_id						
✓ include_in_order_only		include in order = Yes				
Кеу						
Authorization Headers Body Pre-request Script Tests						
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization						
Body Cookies (1) Headers (11) Test Results						
			Cave Response			
<pre>1 [2 { 3 { 3 { 5 { 5 { 5 { 5 { 5 { 5 { 5 { 5 { 5 { 5</pre>						

Get Files with Extra URL Parameters

Now we are going to consider the case when outputting the info on attachments in the necessary Store View needs adding extra parameters to the URL (category, product, order).

As usual, **GET** query is used.

In the URL, we write the Store View, the ID and the necessary parameters:

▶ Get files for Product. Default Store View. Add extra url parameters		Examples (0)
GET • ((magento_api_url))/default/V1/amasty_product_attachment/getByPro	oductId?product_id=6&extra_url_params[product]=6&extra_url_params[category]&extra_u	
KEY	VALUE	DESCRIPTION •••• Bulk E
✓ product_id		
✓ extra_url_params[product]		
<pre>extra_url_params[category]</pre>		
extra_url_params[order]		
Authorization Headers Body Pre-request Script Tests		
TYPE Inherit auth from parent		

This file relates to 2 products:

2025/08/26 04:24		67/85	Gu	ide for	Product /	Attachments fo	r Magento 2
dit Attachment				← Back	Delete File	Save and Continue Edit	Save Attachment
	File	Upload					
	Attachment Name *	1nameFileAllStoreViews	ipg				
	Label *	11abelFileAllStoreViews					
	Customer Groups	NOT LOGGED IN General Wholesale Retailer Don't choose any or select all to show the attachment to all customer groups.					
	Is Visible	Ves					
	Include In Order	Ves Include this attachment into order transactional email and show in the View order' section of customer's account.					
Attach To							
	Categories			·			
Add products						<	1 of 1 >

								of 1 >
ID	Th	umbnail	Name	Status	Туре	SKU	Price	Actions
5	6	STEEL S	Rival Field Messenger	Enabled	simple	24- MB06	\$45.00	Remove
6	1				simple	24- MB02		

In each case, the file has a different **file_name** and **label**:

					_			
usion Back	pack			÷	- Back	Add Attribute	Sav	re 🔻
conngurations								\odot
Configurable product each color).	ts allow customers to choose options (Ex: shirt color). You need to create	e a simple pro	oduct for each configuration (Ex: a product for			Crea	te Configu	rations
Product Reviews								\odot
Images And Video	05							\odot
Product Attachm	ents							\odot
						<	1 of 1	>
FileId Icon	File Name	Extension	Label	Customer Groups	Include In O	rder Visible		Actions
1 33	nameFileDefaultStoreView_Fusion	jpg	labelFileDefaultStoreView_Fusion	NOT LOGGED IN		Ves		
	Use Default Value		Use Default Value		Vse Use	Default 🗹 Us Value	e Default Value	Ŵ
				Use Default Value				
Add Existing Attachments Add New Files Add New Links								
Product Categori	es Attachments							\odot
Search Engine Optimization							\odot	
Related Products, Up-Sells, and Cross-Sells							\odot	
Customizable Op	tions							\odot
Product in Websi	Product in Websites							




Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Rival Field N	lessenger				← Back	Add A	ttribute	Save	•
Configurable produce ach color).	cts allow customers to choose options (Ex: shirt color). You need to cre	ate a simple pr	oduct for each configuration (Ex: a product for				Create	e Configur	ations
Product Reviews	i								\odot
Images And Vide	nos								\odot
Product Attachm	nents								\odot
							<	1 of 1	>
FileId Icon	File Name	Extension	Label	Customer Groups	Include	e In Order	Visible		Actions
33	nameFileDefaultStoreView_Rival	Jpg	labelFileDefaultStoreView_Rival	NOT LOGGED IN General Wholesale Retailer Use Default Value		Yes Use Default Value	♥ Yes ♥ Use	Default Value	Î
Add Existing Attac	nments Add New Files Add New Links								
Product Categor	ies Attachments								\odot
Search Engine O	ptimization								\odot
Related Product	s, Up-Sells, and Cross-Sells								\odot
Customizable Op	otions								\odot
	ites								0

In case the file is downloaded from the product page, it will have a separate URL for each item:

Details YordutAttachments More Information Reviews (3)	****** 3 Reviews Add Your Review IN STOCK SKU#: 24-MB02 Qy 1 Add to Cart * ADD TO WISH LIST IL ADD TO COMPARE MAIL
LabelFileDefaultStoreView Fusion (4.85 k8)	
About us Privacy and Cookle Parcy Customer Service Search Terms. Contact Us Advant us Search apimagento.gabrusevich.ap71.sty/amfile/file/download/file/33/product/6/ Copyright © 2013-2017 Magento.inc. All rights	Enter your email address Subscribe



In Postman, if we make queries to extract the info on the attachment using the product ID only, the URL will be the same for each item:

▶ Get files for Product. Default Store View. Add extra url parameters							
GET • {{magento_api_url}}/default/V1/amasty_product_attachment/getByProductId?product_id=6							
KEY	VALUE						
✓ product_id	6						
extra_url_params[product]							
extra_url_params[category]							
extra_url_params[order]							
Кеу							
Authorization Headers Body Pre-request Script Tests							
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization							
Body Cookies (1) Headers (11) Test Results							
Pretty Raw Preview JSON 🕶 🥽							
<pre>1 * [2 * { 3</pre>	file/icon/Image.png", :/33/"						

2025/08/26 04:24	71/85	(Guide for Product Attachments for Magento
▶ Get files for Pro	oduct. Default Store View. Add ex	tra url parameters	
GET 🔻	{{magento_api_url}}/default/V1/a	masty_product_attachme	ent/getByProductId?product_id=5
KEY			VALUE
✓ product_id			5
extra_url_pa	rams[product]		
extra_url_pa	rams[category]		
extra_url_pa	rams[order]		
Кеу			
Authorization	Headers Body Pre-request	Script Tests	
	n parent header will be automatically generat Learn more about authorization	▼ ed when you	
Body Cookies	(1) Headers (11) Test Res		
Pretty Raw	Preview JSON 🔻 🚍		
4 f 5 f 6 1	nime_type": "image/jpeg", File_size": 4968, File_name": "nameFileDefaultStoreVi Label": "labelFileDefaultStoreView_ Lcon_url": "http://apimagento.gabrusevic	Rival", sevich.ap71.sty/pub/med	jia/amasty/amfile/icon/Image.png", /download/file/33/"

The main benefit of extra URL parameter is that we get one file with different settings for each product:

▶ Get files for Product. Default Store View. Add extra url parameters							
	GET	ductId?product_id=6&extra_u					
	KEY	VALUE					
	✓ product_id	6					
	<pre>extra_url_params[product]</pre>	6					
	extra_url_params[category]						
	extra_url_params[order]						
	Кеу						
A	uthorization Headers Body Pre-request Script Tests						
	TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization						
B	ody Cookies (1) Headers (11) Test Results						
	Pretty Raw Preview JSON -						
	<pre>1 * [2 * { 3</pre>	ifile/icon/Image.png", .e/33/product/6/"					

<u>a</u>masty

2025/08/26	04:24

73/85

Get files for Product. Default Store View. Add extra url parameters			
GET	ductld?product_id=5&extra_url_params[prod		
KEY	VALUE		
✓ product_id	5		
<pre>extra_url_params[product]</pre>	5		
Кеу			
Authorization Headers Body Pre-request Script Tests			
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization Body Cookies (1) Headers (11) Test Results	This re		
Pretty Raw Preview JSON -			
<pre>1 * [2 * { 3</pre>	nfile/icon/Image.png", .e/33/product/5/"		

Another option of Product Attachments is that users can also output or view the data on the files attached to the whole category.

Get Files for Categories

Now let's output the information on the files attached to a Category of the necessary Store View, using **GET** request. The store view is Default:

amasty

▶ Get files for Ca	tegory. Default Store View. Everything is the same	e as product			
GET 🔻	GET • {{magento_api_url}}/default/V1/amasty_product_attachment/getByCategoryId?category_id=4				
KEY		VALUE			
✓ category_id		4			
Key					
Authorization					
ТҮРЕ					
Inherit auth fror					
The authorization	hander will be automatically generated when you	This request is using an authorization helper from			
	The authorization header will be automatically generated when you send the request. Learn more about authorization				
▶ Get files for Ca	ategory. Default Store View. Everything is the sam	ne as product			
GET 🔻	{{magento_api_url}}/default/V1/amasty_product_at	ttachment/getByCategoryId?category_Id=5			
KEY		VALUE			
✓ category_id		5			
Key					
Authorization	Authorization Headers Body Pre-request Script Tests				
ТҮРЕ					
Inherit auth from	m parent 🔻				
_		This request is using an authorization helper from			
	n header will be automatically generated when you . Learn more about authorization				
10.					

In the URL, specify the Store View and the ID of the categories we aim to extract file info from. Here are the expected results based on the module configuration:

• File 1 is attached to the ID 4 category:

2025/08/26 04:24	75/85	Guide for Product Attachments for Magento 2
Store View: Default Store View -		← Back
File Info Fields		
	Attachment Type	File •
	File	Upload
	Attachment Name * [store view]	InameFileDefaultStoreView Jpg Use Default Value
	Label * [store view]	1labelFileDefaultStoreView Use Default Value
	Customer Groups [store www]	NOT LOGGED IN General Wholesale Retailer
		Don't choose any or select all to show the attachment to all customer groups. Use Default Value
	Is Visible [store view]	Ves Ves Use Default Value
	Include In Order [store view]	Yes Include this attachment into order transactional email and show in the View order' section of customer's account. Use Default Value
Attach To		
	Use [All Store Views] Categories	0 No 4
	Categories	4 Baga X

• File 2 is attached to the ID=4,5,6 categories:

Last update: 2025/08/25 13:32	magento_2:product_attachmer	nts https://amasty.com/docs	/doku.php?id=magen	to 2:product attachments

Store View: Default Store View •	← Back Do
File Info Fields	
Attachment Typ	File •
Fil	Upload
	2nameFileDefaultSto 5 KB
Attachment Nam [store vew	2nameFileDefaultStoreView Jpg Use Default Value
Labe [store view	ZlabelFileDefaultStoreView Use Default Value
Customer Group	
	Don't choose any or select all to show the attachment to all customer groups. Use Default Value
Is VIsibi Istore view	Yes Ves Ves
Include In Orde Istore view	Ves Include this attachment into order transactional email and show in the View order' section of customer's account.
Attach To	
Use [All Store Views] Categorie	4 5 6
Categorie	

Now we should check how the info is rendered in Postman:

• ID 4 Category:

2025/08/26 04:24	77/85	Guide for Product Attachments for Magento 2
▶ Get files for Ca	tegory. Default Store View. Everything is tl	ne same as product
GET 🔻	{{magento_api_url}}/default/V1/amasty_pro	oduct_attachment/getByCategoryId?category_id=4
Authorization		Tests
ТҮРЕ		
Inherit auth from	n parent	-
	header will be automatically generated when y Learn more about authorization	/ou
Body Cookies	(1) Headers (11) Test Results	
Pretty Raw	Preview JSON 🔻 🛱	
4 5 7 9 10 11 12 13 14 15	url": "http://apimagento.gabrusevich.ap71.st nime_type": "image/jpeg", file_size": 4793, file_name": "ZnameFileDefaultStoreView", label": "2labelFileDefaultStoreView",	71.sty/pub/media/amasty/amfile/icon/Image.png",

• ID 5 Category:

▶ Get files for 0	Category. Def	fault Store	e View. Everything is	the sam	e as product
GET 🔻	{{magen	to_api_url)	}/default/V1/amasty_p	roduct_at	tachment/getByCategoryId?category_id=5
Authorization					
TYPE Inherit auth fr The authorizatio send the reques	on header will		atically generated when horization	▼ n you	This
Body Cookie Pretty Rav		aders (11)	Test Results		
1 ~ [2 ~ { 3 4 5 6 7 8 9 } 10]	"label": 2la "icon_url":	4793, "2nameFile belFileDef http://api	- DefaultStoreView", FaultStoreView", imagento.gabrusevich.	ap71.sty/ sty/amfil	pub/media/amasty/amfile/icon/Image.png", e/file/download/file/34/"

We see that there are 2 attachments in the ID 4 category and only one attachment in ID 5 category. This matches the module settings and the info is correct.

Get Files by File ID

In this case, we are going to extract the file info for the Default Store View, relying on the file ID.

▶ Get files by FileId. Default Store View. Everything is same as product					
GET • {{magento_api_ur}}/default/V1/amasty_product_attachment/getByFileIds?file_ids[]=33&file_ids[]=34&file_ids[]=1111					
кеу	VALUE	DESCRIPTION			
🖌 file_ids[]	33				
🖌 file_ids[]	34				
✓ file_ids[]	1111				
Authorization Headers Body Pre-request Script Tests					
TYPE Inherit auth from parent This request is using an authorization helper from collection <u>Product Attachment Apj</u> .					
The authorization header will be automatically generated when you send the request. Learn more about authorization					

As usual, in the URL, we fill in the Store View and the file IDs - in the Params section:

In our example we see 2 uploaded files:

Attachments Management Q						Q 🕫 1	admin 🔻	
							Add New Attachi	ment
						Filters	Default View 👻 🏠 Co	olumns 👻
Actions					20 💌 per page	< 1 of	1	
×	ID ↓	lcon	Attachment Type	File Name	File Label	Mime Type	File Size	Action
	33		File	1nameFileAllStoreViews	1 labelFileAllStoreViews	image/jpeg	4.85 kB	Edit
	34		File	2nameFileAllStoreViews	2labelFileAllStoreViews	image/jpeg	4.68 kB	Edit

The info is correct:

Get files by FileId. Default Store View. Everything is same as product				
GET				
KEY	VALUE			
🧹 file_ids[]	33			
🖌 file_ids[]	34			
✓ file_ids[]	1111			
Authorization Headers Body Pre-request Script Tests				
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization Body Cookies (1) Headers (11) Test Results	This requ			
Pretty Raw Preview JSON -				
<pre>1 ~ [2 * { 3 * "mime_type": "image/jpeg", 4 * "file_size": 4968, 5 * "file_name": "InameFileDefaultStoreView", 6 * "label": "labelFileDefaultStoreView", 7 * "icon_url": "http://apimagento.gabrusevich.ap71.sty/pub/media/amasty/amfile/icon/Image.png", 9 * }, 10 * { 11 * "mime_type": "image/jpeg", 12 * "file_size": 4793, 13 * "file_name": "2nameFileDefaultStoreView", 14 * "label": "2labelFileDefaultStoreView", 15 * "icon_url": "http://apimagento.gabrusevich.ap71.sty/pub/media/amasty/amfile/icon/Image.png", 16 * * * * * * * * * * * * * * * * * * *</pre>				

We have added the ID of a non-existing file (1111) on purpose. As you can see, Postman didn't report any error. The tool just output the existing files.

Test File Downloading

To do this, output the info in **Base64** format. Then copy the Base64 code and insert it into decoders to get the product picture. Use **GET** query to output the file data:

⊧ Ge	et File Content	(Download)	
	GET 🔻	{{magento_api_url}}/default/V1/amasty_product_attachment/download	file_id=33&product_id=&category_id=
	KEY		VALUE
~	file_id		33
~	product_id		
~	category_id		
	Key		Value
Auth	orization H		
1.1.1	- herit auth from		Th
		eader will be automatically generated when you earn more about authorization	

In the URL input the necessary Store View, in the Params section - the file/product/category ID.

There are several ways to get the file content. We provide the file settings in the module settings and their representation in Postman.

• Using the file ID:

2025/08/26 04:24		81/85					Guide for	Product Attachn	nent	s for N	lagento	2
Edit Attachment									Q	4 6	1 admin 🗸	
Store View: Default Store View 🔻	0					← Back	Delete File	Save and Continue Ed	it	Save Att	achment	
File Info Fields												
	Attachment Type	File •										
	File	Upload										
		1nameFileDefaultSto 5 KB										
	Attachment Name * [store view]	1nameFileDefaultStoreVi Use Default Value	ew				jpg					
	Label * [store view]	1labelFileDefaultStoreVie	W									
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer										
		Don't choose any or select all t	show the attachme	nt to all customer groups.								
🕂 New 🔻 Import Runner 📭 🖛				oduct Attachments by Amas	sty 🔻 🌲 Invite			0 <	\$ 4	• • <	Upgrade	-
Q Filter History Collections	Get Admin Upload File Save	Uploa Save File D Get File Da G						s by Get F • + ••• apin				*
G.		nto_api_url}}/default/V1/amasty_p							ams	Send	Save -	
Product Attachment Api 17 requests	KEY			VALUE			DESCRI	PTION			••• Bulk Edit	
Backend Api Post Get Admin Token	file_id											
Post Upload File												
POST Save Uploaded File PUT Save File Data for another store vi	Authorization Headers											
ওল্ল Get File Data By Id এল Get File Data By Id (Default Store	туре											
GET Search												
ott. Delete Saved File Frontend Api ····	send the request. Learn mor	e about authorization										
Logged In Customer	Body Cookies (1) H											
Get files for Product. Default Stor Get files for Product. Germany St										a		
GET Get files for Product. Default Stor	1 v { 2 "base64_encoded_d 3 "name with extens	ata": "/9j/4AAQSKZJRgABAQAAAQAB	AD/2wCEAAoKCgoKCgsMD	AsPEA4QDxYUExMUFiIYGhgaGCIzIC	UgICUgMy03LCksNy1RQDg4QFF	eT0pPXnFlZXGPiI+7	u/sBCgoKCgoKCwwMCw8QDhAPFh	QTExQWIhgaGBoYIjMgJSAgJSAzLTcsKSw3LV	FAODhAUVSF	Sk9ecWVlcY+I	j7u7+//CABEIAyADI/	
GET Get files for Category. Default Sto	4 "temporary_name": 5 }											
Get files by FileId. Default Store Vi Get File Content (Download)												

• Using the file/product ID:

Last update: 2025/08/25 13:32 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Fusion Backpack					← Back Ad	d Attribute Save 🔻
Content						⊖ ⊙
	s to choose options (Ex: shirt color). You need to create	e a simple pr	oduct for each configuration (Ex: a product for			Create Configurations
each color).						
Product Reviews						\odot
Images And Videos						\odot
Product Attachments						\odot
		1				< 1 of 1 >
FileId Icon File Name		Extension	Label	Customer Groups	Include In Order	Visible Actions
🔢 33 🔝 nameFileDefau	ultStoreView_Fusion	jpg	labelFileDefaultStoreView_Fusion	NOT LOGGED IN		
Use Default V	/alue		Use Default Value		Use Defa	
					Va	
				🕑 Use Default Value		
Add Existing Attachments Add N	Jew Files Add New Links					
Product Categories Attachmen	its					\odot
Search Engine Optimization						\odot
Related Products, Up-Sells, and	d Cross-Sells					\odot
Customizable Options						\odot
H New V Import Runner			Product Attachments by Amasty 💌 🤱 Invite			
Q Filter History Collections	Get Admin Upload File Save Uploa Save File D Get File Da Get					magento 🔹 👁 🌣 Examples (0) 👻
_ 📮 Product Attachment Api	GET • {{magento_api_url}}/defaultW1/amasty_pro				Pa	irams Send 🔻 Save 🔻
17 requests	KEY		VALUE	DESCRIPTION		
👻 🖿 Backend Api 🛛 🚥	✓ file_id					
POST Get Admin Token	✓ product_id					
POST Upload File						
Post Save Uploaded File						
PUT Save File Data for another store vi	Authorization Headers Body Pre-request Script					
GET Get File Data By Id	туре					
GET Get File Data By Id (Default Store						
GET Search						
DEL Delete Saved File						
Frontend Api ····						
Logged In Customer Get files for Product. Default Stor	Body Cookies (1) Headers (11) Test Results					
Get files for Product. Germany St	Pretty Raw Preview JSON -					
GET Get files for Product. Default Stor						C Save Response
Get files for Product. Default Stor	<pre>1 - ("base64_encoded_data": "/9j/AAAQSkZ3RgABAQAAAQABAA "name_with_extension": "nameFileDefaultStoreView_F "tenporary_name": null</pre>	D/2wCEAAoKCgoK "usion.jpg",	CgsMDAsPEA4QDxYUExMUFilYChgaGCIzICUgICUgMy03LCksNyIRQDg4QFFeT0pPXnFlZXCP	Pil+7u/sBCgoKCgoKCwwMCw0QDhAPFhQTExQWIhg	aGBoYIjMgJSAgJSAzLTcsKSw3I	.VFADDhAUV5PSk9eckVlcY+Ij7u7+//CABEIAyADIA
GET Get files for Category. Default Sto GET Get files by FileId. Default Store Vi						
GET Get File Content (Download)						

• Using the file/category ID:

2025/08/26 04:24	83/85	Guide for Product Attachments for Magento 2					
Bags (ID: 4)		Q 📣 1 admin 🗸					
Store View: Default Store View -		Delete Save					
✓ You saved the category.							

✓ You saved the category.										
Collapse All Expand All Collapse All Expand			Enable Cate (store (acression) Category N	Vise Definition	ault Value					
		Content							\odot	
		Display Settings							0	
		Search Engine O Products in Cate							0	
		Design	.5013					© 		
		Schedule Design	Update					©		
		Product Attachn	nents						\odot	
								< 1 of 1 >		
		File Id Icon	Attachment Name		Extension	Label	Customer Groups	Include In Order V	isible Actions	
		II 33 🛋	1nameFileDefaultStore	eView_Category4	jpg	1labelFileDefaultStoreView_Category4 Use Default Value	NOT LOGGED IN General Wholesale	Ves Vse Default Value	Yes Use Default Value	
Hew Mew Minport Runner	l		::	Product Attachmer	nts by Amasty 🔻	🕹 Invite		💿 e 🕫 I	u 🌩 🤤 Upgrade -	
Q Filter History Collections							iet files fo Get files by Get F •			
	► Get File Content (Down GET マ {{mag		1/amasty_product_attachm4	ent/download?file_id=33i	&category_id=4			Params	Examples (0) 👻	
Product Attachment Api 17 requests	KEY			VALUE			DESCRIPTION		•••• Bulk Edit	
Backend Api Backend Api Get Admin Token	File_id									
Post Upload File Post Save Uploaded File	category_id Key									
PUT Save File Data for another store vi	Authorization Headers									
err Get File Data By Id err Get File Data By Id (Default Store err Search er: Delete Saved File ► Trontend Apl •••• ► Logged In Customer	TYPE Inherit auth from parent The authorization header w send the request. Learn mo									
Get files for Product. Default Stor									Time: 208 ms Size: 7.16 KB	
Get files for Product. Default Stor	Pretty Raw Previo		ABAQAAAQABAAD/2wCEAAoKCgoM iltStoreView_Category4.jpg	CgsMDAsPEA4QOxYUExMUFi	IYGhgaGCIzICUgICUg	9My03LCksNy1RQDg4QFFeT0pPXnFlZXGPiI+7u/s8CgoKCgc	oKCwwMCw8QDhAPFhQTExQWIhgaGBoYIj	MgJSAgJSAzLTcsKSw3LVFA0DhAUVSF	Q Save Response Sk9ecWVlcY+Ij7u7+//CABEIAyADIA	
Get files for Category. Default Stor Get files by Fileld. Default Store Vi	4 "temporary_name" 5 }	": null								
Get File Content (Download)										
II 9 E										

Best Practice Tips for Attachments

Properly optimize various attachment formats for search engines

amasty

Files in PDF (.pdf), Word (.docx), Excel (.xls), and PowerPoint (.pptx) formats come with built-in settings enabling optimization for improved discoverability and search engine ranking by adding meta titles, meta keywords, meta descriptions, etc. We recommend configuring these settings for files before attaching them.

To add meta data to a **PDF** file, follow these steps:

- Open the PDF file and navigate to File → Properties → Document Properties, then select the Description tab;
- Fill in the Title and Subject fields with keyword-optimized content;
- Ensure the **Author** field doesn't identify a specific individual within your organization;
- Click the Additional Metadata button to add copyright or public domain information if applicable;
- Save the changes.

Furthermore, it is possible to tag content within a PDF file for better accessibility and visibility. Refer to this article for detailed instructions on tagging and optimizing PDF files.

To optimize Word, Excel, or PowerPoint documents for SEO, do the following:

- Open the relevant file and go to File → Info → Properties → Show All Properties;
- Check that the name in the Author field is correct;
- Enter the title for a document in the **Title** field (limited to 80 characters);
- Provide a comma-separated list of keywords to the **Tags** field. Avoid repeating keywords used in the title;
- Save the changes.

Additional packages (provided in composer suggestions)

To make additional functionality available, please install the suggested packages you may need.

Available for all tariff plans with **no additional fees**:

• **amasty/module-product-attachments-graphql** - Install this module to activate GraphQl and Product Attachments integration.

Available as a part of an active product **subscription** or support subscription:

For **Basic and Pro** versions:

- **amasty/module-product-attachment-hyva** Install this additional package to ensure the Product Attachments extension works with the Hyvä Theme.
- amasty/module-product-attachment-subscription-functionality Install this package to add the 'Customer Groups' column to the Attachments Management grid.

For **Pro** version only:

• amasty/module-product-attachment-pro-hyva - Install this package to ensure the

<u>a</u>masty

×

Product Attachments Pro extension works with Hyvä Theme.

- **amasty/module-product-attachment-export-entity** Install this package to export attachment data.
- **amasty/module-product-attachment-import-entity** Install this package to import attachment data.

FAQ

- The Product Attachments tab is not visible on the storefront. How to fix this?
- How can I group attachments and display them in sections?
- How to make product attachments visible only in orders?
- How to add product attachments to a CMS page?
- I can't upload a file that exceeds 2 MB. Where can I increase the limit of the allowed file upload size?

Find out how to install the Product Attachments extension via Composer.

From: https://amasty.com/docs/ - **Amasty Extensions FAQ**

Permanent link: https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Last update: 2025/08/25 13:32